

CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Circuit Scale, Inc. 603 Colby Drive, Unit 10 Waterloo, ON Canada N2V 1A1

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

CALIBRATION

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at www.anab.org.

Jason Stine, Vice President

Expiry Date: 28 March 2026 Certificate Number: L2136-1





SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Circuit Scale, Inc.

603 Colby Drive, Unit 10 Waterloo, ON Canada N2V 1A1 Don Herzberg 519-570-9678

CALIBRATION

Valid to: March 28, 2026 Certificate Number: L2136-1

Mass and Mass Related

Version 008 Issued: March 20, 2024

Mass and Mass Related			
Parameter/Equipment	Range	Expanded Uncertainty of Measurement (+/-)	Reference Standard, Method, and/or Equipment
Analytical Balances ¹ (0.000 l g Resolution)	(0 to 220) g	0.87 mg	ASTM E617 Class 1 Weights, Canadian Weights and Measures Act and NIST Handbook 44 utilized for the calibration of the Weighing System
(0.001 g Resolution)	(0 to 380) g	1.7 mg	
(0.01 g Resolution)	(0 to 2 500) g	15 mg	
(0.1 g Resolution)	(0 to 5 100) g	0.13g	
Industrial Scales ¹ (0.5 g Resolution)	(0 to 1 000) g	0.51 g	Standard Weights per Measurement Canada Schedule IV Part III of Weights and Measurements Act and Regulations (OIML Class MI), Canadian Weights and Measures Act and NIST Handbook 44 utilized for the calibration of the Weighing System
(1 g Resolution)	(0 to 2 000) g	1.4 g	
(2 g Resolution)	(0 to 10 000) g	2.9 g	
(0.01 kg Resolution)	(0 to 200) kg	0.016 kg	
(0.5 kg Resolution)	(0 to 2 500) kg	0.72 kg	
(5 kg Resolution)	(0 to 20 000) kg	9.1 kg	
(10 kg Resolution)	(0 to 100 000) kg	21 kg	

Calibration and Measurement Capability (CMC) is expressed in terms of the measurement parameter, measurement range, expanded uncertainty of measurement and reference standard, method, and/or equipment. The expanded uncertainty of measurement is expressed as the standard uncertainty of the measurement multiplied by a coverage factor of 2 (*k*=2), corresponding to a confidence level of approximately 95%.





Notes:

- 1. On-site calibration service is available for this parameter, since on-site conditions are typically more variable than those in the laboratory, larger measurement uncertainties are expected on-site than what is reported on the accredited scope.
- 2. 1658016 Ontario Inc. is the legal entity for Circuit Scale, Inc.
- 3. This scope is formatted as part of a single document including Certificate of Accreditation No. L2136-1.

Jason Stine, Vice President

Version 008 Issued: March 20, 2024



